

Technical Data Sheet. casufill A5

Product description

Casufill A5 is a very fine milled natural anhydrite without any additives.

Casufill A5 is used for building chemistry products or as shrinkage reducing admixture in cementitious systems.

Information

This product data sheet is intended to give advice to the best of our knowledge; it replaces any previous product data sheets. The contents of this product data sheet are not legally binding.


> particle size (Alpine air jet sieving)

residue on sieve	R 32 µm	≤ 3 %
residue on sieve	R 63 µm	0 %

> particle size, average values, Laser granulometer (CILAS 920)

D ₁₀	ca. 1 µm
D ₅₀	ca. 5 µm
D ₉₀	ca. 20 µm

example:



For further information

please contact:

CASEA GmbH
Pontelstraße 3
99755 Ellrich
Germany
T +49 36332 89-100
F +49 36332 89-202
info@casea-gips.de
casea-gips.de

A company of the
REMONDIS Group

> composition

CaSO ₄	≥ 92,0 %
Loss on ignition	≤ 1,0 %
Moisture	≤ 0,2 %

> physical and chemical characteristics

Bulk density	800 – 900 g/l
Whiteness Ry	≥ 85,0

> Logistics and safety notes

Commercial form	bag, Big-bag and bulk
Shelf life	given dry and protected storage, casufill A5 can be stored up to 6 months after date of production
Safety notes	see MSDS